


Replace the paragraph beginning at page 111, line 2 with the following rewritten paragraph:

The molecular formula of an EL material (Ir complex) reported by the above article is represented as follows.



REMARKS

The specification has been amended to correct minor typographical errors. No new material has been added. Attached is a marked-up version of the changes being made by the current amendment.

Applicant asks that all claims be examined. Please apply any charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

Date: June 22, 2001

William D. Hare  
William D. Hare  
Reg. No. 44,739

Fish & Richardson P.C.  
601 Thirteenth Street, NW  
Washington, DC 20005  
Telephone: (202) 783-5070  
Facsimile: (202) 783-2331  
40059677.doc

**Version with markings to show changes made**

**In the specification:**

Please delete the text starting at page 120, line 15 through page 125, line 13.

The paragraph beginning at page 12, line 5 has been amended as follows:

**[Fig. 5 is]** Figs. 5A and 5B are timing charts of a selection signal in a driving method according to the present invention.

The paragraph beginning at page 12, line 17 has been amended as follows:

**[Fig. 11 illustrates]** Figs. 11A-11C illustrate a manufacturing process of the EL display according to the present invention.

The paragraph beginning at page 12, line 19 has been amended as follows:

**[Fig. 12 illustrates]** Figs. 12A-12C illustrate the manufacturing process of the EL display according to the present invention.

The paragraph beginning at page 12, line 21 has been amended as follows:

**[Fig. 13 illustrates]** Figs. 13A and 13B illustrate the manufacturing process of the EL display according to the present invention.

The paragraph beginning at page 13, line 3 has been amended as follows:

**[Fig. 15 is]** Figs. 15A and 15B are a plan view and a sectional view, respectively, of an EL display according to the present invention.

The paragraph beginning at page 13, line 11 has been amended as follows:

**[Fig. 19]** Fig. 19A illustrates a structure of a connection between an EL element and a TFT for EL driving, and Fig. 19B illustrates the voltage-current characteristics of the EL element and of the TFT for EL driving.

09086148-062201

The paragraph beginning at page 13, line 20 has been amended as follows:

**[Fig. 23 is a plan view]** Fig 23A and 23B are plan views of a display with a driver circuit as a display according to the present invention.

The paragraph beginning at page 13, line 22 has been amended as follows:

**[Fig. 24 illustrates]** Figs. 24A-24F illustrate electronic apparatus using the EL display according to the present invention.

The paragraph beginning at page 14, line 2 has been amended as follows:


**[Fig. 25 illustrates]** Figs. 25A-25C illustrate electronic apparatus using the EL display according to the present invention.

The paragraph beginning at page 13, line 8 has been amended as follows:

**[Fig. 28 illustrates]** Figs. 28A and 28B illustrate  $I_{DS}$ - $V_{GS}$  characteristics of a TFT.


The paragraph beginning at page 110, line 11 has been amended as follows:

The molecular formula of an EL material (coumarin pigment) reported by the above article is represented as follows.




The paragraph beginning at page 110, line 17 has been amended as follows:

The molecular formula of an EL material (Pt complex) reported by the above article is represented as follows.



The paragraph beginning at page 111, line 2 has been amended as follows:

The molecular formula of an EL material (Ir complex) reported by the above article is represented as follows.



09886148-062201